

**Test Report** 

號碼(No.): ETR21602282 日期(Date): 22-Jun-2021 頁數(Page): 1 of 16

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

\_\_\_\_\_\_

送樣廠商(Sample Submitted By)

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

樣品名稱(Sample Name) 樣品型號(Style/Item No.) DIODES

DO-218

收件日(Sample Receiving Date)

15-Jun-2021

測試期間(Testing Period)

15-Jun-2021 to 22-Jun-2021

測試需求(Test Requested)

(1) 依據客戶要求,參考美國毒管法(TSCA)第 6(h)章節,進行5項持久性生物累積毒 性物質 (PBTs) 測試,測試項目請參閱測試結果表格。 (As specified by client, the sample(s) was/were tested for 5 PBTs with reference to Regulation of Persistent, Bioaccumulative, Toxic (PBT) Chemicals under Toxic Substances Control Act (TSCA) Section 6(h). Please refer to result table for testing item(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results)

請參閱下一頁 (Please refer to following pages.)

Signed for and on behalf SGS TAIWAN LTD. Chemical Laboratory - Taipei





**Test Report** 

號碼(No.): ETR21602282 日期(Date): 22-Jun-2021 頁數(Page): 2 of 16

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

#### 測試部位敘述 (Test Part Description)

No.1 : 整體混測 (MIXED ALL PARTS)

#### 測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-	參考IEC 62321-5: 2013,以感應耦合	mg/kg	2	n.d.	=
43-9)	電漿發射光譜儀分析。(With reference				
	to IEC 62321-5: 2013, analysis was				
	performed by ICP-OES.)				
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)	參考IEC 62321-5: 2013,以感應耦合	mg/kg	2	8190	-
	電漿發射光譜儀分析。(With reference				
	to IEC 62321-5: 2013, analysis was				
	performed by ICP-OES.)				
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-	參考IEC 62321-4: 2013+ AMD1: 2017	mg/kg	2	n.d.	-
97-6)	,以感應耦合電漿發射光譜儀分析。				
	(With reference to IEC 62321-4:				
	2013+ AMD1: 2017, analysis was				
	performed by ICP-OES.)				
六價鉻 Cr(VI) (Hexavalent Chromium	參考IEC 62321-7-2: 2017,以紫外光-	mg/kg	8	n.d.	-
Cr(VI)) (CAS No.: 18540-29-9)	可見光分光光度計分析。(With				
	reference to IEC 62321-7-2: 2017,				
	analysis was performed by UV-VIS.)				
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)	   參考IEC 62321-6: 2015,以氣相層析	mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)	· 儀/質譜儀分析。(With reference to lEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7<sup>th</sup> Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



# **Test Report**

號碼(No.): ETR21602282 日期(Date): 22-Jun-2021 頁數(Page): 3 of 16

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.	ı
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	ı
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	ı
四溴聯苯醚 (Tetrabromodiphenyl ether)	] ▼參考IEC 62321-6: 2015·以氣相層析	mg/kg	5	n.d.	ı
五溴聯苯醚 (Pentabromodiphenyl ether)	参与IEC 02321-0. 2013,以無怕層別  儀/質譜儀分析。(With reference to	mg/kg	5	n.d.	ı
六溴聯苯醚 (Hexabromodiphenyl ether)	IEC 62321-6: 2015, analysis was	mg/kg	5	n.d.	ı
七溴聯苯醚 (Heptabromodiphenyl ether)	performed by GC/MS.)	mg/kg	5	n.d.	1
八溴聯苯醚 (Octabromodiphenyl ether)	performed by Ge/Wis.)	mg/kg	5	n.d.	1
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	ı
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	ı
多溴聯苯醚總和 (Sum of PBDEs)	1	mg/kg	-	n.d.	ı
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.	ı
phthalate (BBP)) (CAS No.: 85-68-7)					
鄰苯二甲酸二丁酯 (DBP) (Dibutyl	   參考IEC 62321-8: 2017 · 以氣相層析	mg/kg	50	n.d.	-
phthalate (DBP)) (CAS No.: 84-74-2)	後/質譜儀分析。(With reference to				
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-	IEC 62321-8: 2017, analysis was	mg/kg	50	n.d.	-
(2-ethylhexyl) phthalate (DEHP)) (CAS	performed by GC/MS.)				
No.: 117-81-7)	perioritied by de, inid.,				
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl		mg/kg	50	n.d.	-
phthalate (DIBP)) (CAS No.: 84-69-5)					
六溴環十二烷及所有主要被辨別出的異構	參考IEC 62321: 2008 · 以氣相層析儀/	mg/kg	5	n.d.	-
物(HBCDD) (α- HBCDD, β- HBCDD, γ-	質譜儀分析。(With reference to IEC				
HBCDD) (Hexabromocyclododecane	62321: 2008, analysis was performed				
(HBCDD) and all major	by GC/MS.)				
diastereoisomers identified ( $\alpha$ - HBCDD,					
β- HBCDD, γ- HBCDD)) (CAS No.:					
25637-99-4, 3194-55-6 (134237-51-7,					
134237-50-6, 134237-52-8))					



**Test Report** 

號碼(No.): ETR21602282 日期(Date): 22-Jun-2021

頁數(Page): 4 of 16

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-		mg/kg	50	n.d.	-
8)	┃ ▼参考BS EN 14582: 2016 · 以離子層析				
氯 (CI) (Chlorine (CI)) (CAS No.: 22537-	後分析。(With reference to BS EN	mg/kg	50	n.d.	_
15-1)	14582: 2016, analysis was performed				
溴 (Br) (Bromine (Br)) (CAS No.: 10097-	by IC.)	mg/kg	50	730	=
32-2)	by ic.)				
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	=
全氟辛烷磺酸及其鹽類 (PFOS and its	參考CEN/TS 15968: 2010,以液相層	mg/kg	0.01	n.d.	-
salts) (CAS No.: 1763-23-1 and its salts)	析串聯質譜儀分析。(With reference				
	to CEN/TS 15968: 2010, analysis was				
	performed by LC/MS/MS.)				
全氟辛酸及其鹽類 (PFOA and its salts)	參考CEN/TS 15968: 2010,以液相層	mg/kg	0.01	n.d.	-
(CAS No.: 335-67-1 and its salts)	析串聯質譜儀分析。(With reference				
	to CEN/TS 15968: 2010, analysis was				
	performed by LC/MS/MS.)				
砷 (As) (Arsenic (As)) (CAS No.: 7440-	參考US EPA 3052: 1996,以感應耦合	mg/kg	2	n.d.	-
38-2)	電漿發射光譜儀分析。(With reference				
	to US EPA 3052: 1996, analysis was				
	performed by ICP-OES.)				
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-	參考US EPA 3052: 1996,以感應耦合	mg/kg	2	n.d.	=
41-7)	電漿發射光譜儀分析。(With reference				
	to US EPA 3052: 1996, analysis was				
	performed by ICP-OES.)				
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-	参考US EPA 3052: 1996,以感應耦合	mg/kg	2	424	-
36-0)	電漿發射光譜儀分析。(With reference	J. J			
	to US EPA 3052: 1996, analysis was				
	performed by ICP-OES.)				
紅磷 (Red Phosphorus)	以熱裂解-氣相層析儀/質譜儀分析。	**	-	Negative	_
	(Analysis was performed by				
	Pyrolyzer-GC/MS.)				
L				ļ.	



**Test Report** 

號碼(No.): ETR21602282 日期(Date): 22-Jun-2021

頁數(Page): 5 of 16

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
十溴聯苯醚 (DecaBDE) (Decabromodiphenyl ether (DecaBDE)) (CAS No.: 1163-19-5)	參考US EPA 3550C: 2007·以氣相層 析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.	Prohibited / N/A(*3)
異丙基化磷酸三苯酯 (PIP 3:1) (Phenol, isopropylated, phosphate (3:1) (PIP 3:1)) (CAS No.: 68937-41-7)	參考US EPA 3550C: 2007 · 以氣相層 析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.	Prohibited / N/A(*1)
2,4,6-三叔丁基酚 (2,4,6-TTBP) (2,4,6- Tris(tert-butyl)phenol (2,4,6-TTBP)) (CAS No.: 732-26-3)	參考US EPA 3550C: 2007 · 以氣相層 析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.	3000 / N/A(*2)
五氯苯硫酚 (PCTP) (Pentachlorothiophenol (PCTP)) (CAS No.: 133-49-3)	參考US EPA 3550C: 2007 · 以氣相層 析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.	10000
六氯丁二烯 (HCBD) (Hexachlorobutadiene (HCBD)) (CAS No.: 87-68-3)	參考US EPA 3550C: 2007·以氣相層 析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.	Prohibited



# **Test Report**

號碼(No.): ETR21602282 日期(Date): 22-Jun-2021 頁數(Page): 6 of 16

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. 全氟辛烷磺酸及其鹽類包含 (PFOS and its salts including):
  - CAS No.: 29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.
- 8. 全氟辛酸及其鹽類包含 (PFOA and its salts including):
  - CAS No.: 3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0.
- 9. 詳細法規說明請點以下網址連結。(Detail explanation of the regulation is available at the following link.) https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/persistent-bioaccumulative-and-toxic-pbt-chemicals-under
- 10. N/A(\*1): 若產品/成品為以下,則不適用 (The submitted sample is exempted from the regulated scope if it is anyone of the following):
  - 航空或軍事用液壓油 (Hydraulic fluids for aviation or military)
  - 潤滑劑和油脂 (Lubricants and grease)
  - 汽車和航空航天器的新零件和替換零件 (New and replacement parts for motor and aerospace vehicles)
  - 在封閉系統中製造氰基丙烯酸酯粘合劑 (Manufacture of cyanoacrylate adhesives in closed systems)
  - 火車和船舶應用的專用發動機空氣濾清器 (Specialized engine air filters for locomotive and marine applications)
  - 從含PIP(3:1)的產品或成品中回收的塑料 (Plastic for recycling from PIP (3:1)-containing products or articles)
  - 從包含PIP(3:1)的產品或成品中回收的塑料製成的成品或成品 (Finished products or articles made of plastic recycled from PIP (3:1)-containing products or articles)
- 11. N/A(\*2): 若產品為非作為潤滑油中添加劑,則不適用。(The submitted sample is exempted from the regulated scope if it is not oil and lubricant additives.)
- 12. N/A(\*3): 若產品/成品為以下,則不適用 (The submitted sample is exempted from the regulated scope if it is anyone of the following):
  - 從產品或成品進行加工和分銷含十溴二苯醚回收的塑料或者由這種再生塑料製成的含十溴二苯醚的產品或成品。 (Exempts processing and distribution for recycling of DecaBDE-containing plastic from products or articles and DecaBDE-containing products or articles made from such recycled plastic.)
- 13. 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個別單一材質的含量。
  The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.



# **Test Report**

號碼(No.): ETR21602282

日期(Date): 22-Jun-2021

頁數(Page): 7 of 16


林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

#### 重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)





# **Test Report**


號碼(No.): ETR21602282 日期(Date): 22-Jun-2021

頁數(Page): 8 of 16

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

#### 多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs





# **Test Report**

號碼(No.): ETR21602282 日期(Date): 22-Jun-2021


頁數(Page): 9 of 16

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

#### 可塑劑分析流程圖 / Analytical flow chart - Phthalate

#### 【測試方法/Test method: IEC 62321-8】






**Test Report** 

號碼(No.): ETR21602282 日期(Date): 22-Jun-2021 頁數(Page): 10 of 16

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

#### 六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD






# **Test Report**

號碼(No.): ETR21602282 日期(Date): 22-Jun-2021

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

#### 鹵素分析流程圖 / Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 11 of 16



**Test Report** 


號碼(No.): ETR21602282 日期(Date): 22-Jun-2021

頁數(Page): 12 of 16

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





# **Test Report**

號碼(No.): ETR21602282 日

日期(Date): 22-Jun-2021

頁數(Page): 13 of 16

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)


台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

#### 重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051A、US EPA 3052】



\* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.



# **Test Report**

號碼(No.): ETR21602282 日期


日期(Date): 22-Jun-2021

頁數(Page): 14 of 16

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

#### 紅磷分析流程 / Analytical flow chart - Red phosphorus






# **Test Report**

號碼(No.): ETR21602282 日期(Date): 22-Jun-2021

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)

台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

#### 持久性生物累積毒性物質 (PBTs) 分析流程圖 / Analytical flow chart - Persistent, Bioaccumulative, Toxic (PBTs)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 15 of 16



## **Test Report**

號碼(No.): ETR21602282 日期(Date): 22-Jun-2021


頁數(Page): 16 of 16

林朋科技股份有限公司 (ANOVA TECHNOLOGIES CO., LTD.)


台中市大甲區(幼獅工業區)東二街22號 (NO. 22, E. 2ND ST., (YU-SHIH INDUSTRIAL DIST) DAJIA DIST., TAICHUNG CITY, TAIWAN (R. O. C.))

\* 照片中如有箭頭標示 · 則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

#### ETR21602282



#### ETR21602282



\*\* 報告結尾 (End of Report) \*\*